



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/059,907	01/29/2002	Kyle M. Hanson	29195.8122US1	8516
25096 7590 12/20/2006 PERKINS COIE LLP PATENT-SEA P.O. BOX 1247 SEATTLE, WA 98111-1247			EXAMINER ZHENG, LOIS L	
			ART UNIT 1742	PAPER NUMBER
SHORTENED STATUTORY PERIOD OF RESPONSE			MAIL DATE	
3 MONTHS			12/20/2006	
			DELIVERY MODE	
			PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/059,907

Applicant(s)

HANSON ET AL.

Examiner

Lois Zheng

Art Unit

1742

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 October 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 26-33, 49-52, 55-60, 91 and 92 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 26-33, 49-52, 55-60, 91 and 92 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Status of Claims

1. Claims 26, 49 and 55-60 are amended in view of the amendment filed 12 October 2006. Claims 34-38, 53-54 and 61 are canceled in view of the amendment. Therefore, claims 26-33, 49-52, 55-60 and 91-92 are currently under examination.

Terminal Disclaimer

2. The terminal disclaimer filed on 12 October 2006 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of 6,368,475 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 26-33, 49-52, 55-60 are rejected under 35 U.S.C. 102(e) as being anticipated by Reid et al. US 6,126,798(Reid'798).

Reid'798 teaches an electrochemical apparatus comprising a cup shaped plating bath with an open top(Fig. 1 #42, Fig. 2 #42A), a microelectronic workpiece support disposed proximate the open top of the processing cup(Fig. 1 # 34), one or more

Art Unit: 1742

conductive members electrically contacting the microelectronic workpiece(col. 4 lines 27-29), an anode cup at the bottom of the processing cup for housing an anode(Fig. 2 #202), a shaping membrane disposed over the open top of the anode cup(Fig. 2 # 208), an electrolyte inlet(Fig. 2 #200) directing the electrolyte to processing space above the shaping membrane and electrolyte outlets(Fig. 2 #240 & 242) connecting to the anode cup below the shaping membrane withdrawing fluid from the anode cup.

Regarding claims 26 and 49, the wall of the cup shaped plating bath as taught by Reid'798 reads on the claimed one or more walls defining a processing space. The anode cup as taught by Reid'798 reads on the claimed electrode housing. The shaping membrane as taught by Reid'798 reads on the claimed pressure drop member. The space between the bottom of the anode cup and the shaping membrane as taught by Reid'798 reads on the claimed interior region of the electrode housing as recited in claim 26 and the claimed interior electrode chamber as recited in claim 49. The space between the shaping membrane and the microelectronic workpiece as taught by Reid'798 reads on the claimed processing space.

Even though Reid'798 also discloses additional inlets(Fig. 2 # 220, 228 and 236) for providing electrolyte to the anode cup, Reid'798 also teaches that these additional inlets are equipped with check valves. In addition, two of these additional inlets(Fig. 2 #228 and 236) are connected to a pump which pumps electrolyte from an alternative source of electrolyte(col. 6 lines 46-67). Furthermore, Reid'798 teaches that one or more of these inlets can be provided. Therefore, the flow to these additional inlets can be controlled, minimized or even reduced to zero. Based on these teachings, the

Art Unit: 1742

examiner concludes that the electrochemical apparatus as taught by Reid'798 reads on the claimed reactor and is inherently capable of generating an electrolyte flow through the pressure drop member into the electrode housing as claimed.

Regarding claim 27, Reid'798 teaches the claimed anode electrode.

Regarding claim 28, it is well known that an electrode that functions as an anode in an electroplating process can function as a cathode in an electropolishing process. Therefore, the electrode that functions as an anode in the electroplating process as taught by Reid'798 is inherently capable of functioning as a cathode when current is applied in opposition direction.

Regarding claim 29, the electrolyte outlets 240 and 242 as taught by Reid'798 draws a portion of the electrolyte from the interior region of the electrode housing as claimed.

Regarding claim 30, Reid'798 further teaches that part of the electrolyte exits from the open top of the cup shaped plating cell(Fig. 1 #54) as claimed.

Regarding claims 31 and 50, the shaped membrane as taught by Reid'798 can be a permeable membrane as claimed(col. 9 lines 29-31).

Regarding claims 32-33 and 52, the membrane of Reid'798 is conical in shape having an apex directed toward the interior region of the electrode housing as claimed.

Regarding claim 51, Reid'798 further teaches the claimed membrane frame connected to the membrane and supporting the membrane over the open end of the electrode housing as claimed(Fig. 2 # 312 & 314, col. 5 lines 21-34).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 55-60 and 90-91 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reid'798 in view of Okinaka et al. US 4,469,564(Okinaka).

The teachings of Reid'798 are discussed in paragraph 4 above. However, Reid'798 does not explicitly teach that the claimed ion selective membrane as claimed.

Okinaka teaches using anode surrounded by a cation-permeable membrane in a copper electroplating bath(abstract).

Regarding claim 90, it would have been obvious to one of ordinary skill in the art to have incorporated the cation-permeable membrane as taught by Okinaka into the shaped membrane of Reid'798 in order to prevent decomposition of additives in the plating bath and to lengthen the bath life time and improve control of bath chemistry and plating quality as taught by Okinaka(abstract).

In addition, the cup shaped plating cell as taught by Reid'798 reads on the claimed fluid vessel, the cation-permeable membrane as taught by Reid'798 in view of Okinaka reads on the claimed ion selective membrane. The space between the cation-permeable membrane and the anode cup in the apparatus of Reid'798 in view of Okinaka reads on the claimed first fluid flow region. Any of the electrolyte inlets 220, 228 and 236 as taught by Reid'798 reads on the claimed first fluid flow entry. Either of

Art Unit: 1742

the electrolyte outlets 240 and 242 as taught by Reid'798 reads on the claimed first fluid flow exit. The anode of Reid'798 reads on the claimed first electrode. The space between the cation-permeable membrane and the microelectronic workpiece as taught by Reid'798 in view of Okinaka reads on the claimed second fluid flow region. The electrolyte inlet 200 reads on the claimed second fluid flow entry. The overflow weir defined by the top of the cup shaped plating cell as taught by Reid'798 reads on the claimed second fluid flow exit. The conductive members electrically contacting the microelectronic workpiece reads on the claimed second electrode.

Regarding claim 92, the cation-permeable membrane as taught by Reid'798 in view of Okinaka meets the limitation of the instant claim 92.

Regarding claim 55, the cation-permeable membrane as taught by Reid'798 in view of Okinaka is conical shape with an edge region of the membrane disposed closer than the central region of the membrane to the workpiece support as claimed.

Regarding claim 56-58, Reid'798 further teaches recites an virtual anode and a shield (Fig. 1 #53 & 55). Details of the virtual anode and the shield is described in US Patent Application No. 08/969,267, now US Patent No. 6,179,983 B1(US'983), which is incorporated into Reid'798(col. 4 lines 43-45). Some of the virtual anodes as described in Figs. 2-5 of US'983 with plurality of openings meet the limitations of instantly claimed flow distribution element as recited in claim 56. Fig. 6 of US'983 further teaches a shield member(# 250) between the anode and the microelectronic workpiece, and the shield having a rim and an opening disposed annularly inwardly from the rim as recited

Art Unit: 1742

in claim 57. The shield as taught by US'983 is a field shaping element as claimed(col. 7 lines 15-34).

Regarding claim 59, Reid'798 teaches the claimed microelectronic workpiece (Fig. 1 #38).

Regarding claim 60, the electrolyte entering the interior region of the electrode housing via any of the inlets 220, 228 and 236 as taught by Reid'798 reads on the claimed first processing fluid. The electrolyte enter the processing space of the electrochemical apparatus via inlet 200 as taught by Reid'798 reads on the claimed second processing fluid.

Response to Arguments

7. Applicant's arguments filed 12 October 2006 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lois Zheng whose telephone number is (571) 272-1248. The examiner can normally be reached on 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1742

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LLZ


ROY KING
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700